

Expo 2025 Osaka, Kansai, Japan

Overview of Event Facilities

Ver.2 December 2023 version

Japan Association for the 2025 World Exposition

This Overview of Event Facilities is current as of December, 2023. Please be aware that changes may occur in the future. Facility usage fees do not include facility maintenance fees (common service charges, etc.). Details will be provided once confirmed.

\bigcirc Period of use:	Sunday, April 13 to Saturday, October 11, 2025 * The Expo runs until Sunday, October 12
\bigcirc Usage hours:	9am to 9pm
\bigcirc Usage outside of normal hours:	An out-of-hours usage charge is incurred for use before 9am and after 9pm.
○ Application:	We request that you include time for loading items in and out, for setting up or taking down, for rehearsals, etc. when applying. * Time for bringing items in and out, for setting up or taking down, and for rehearsals may fall outside facility hours due to the organization of the event.

○ Facility usage fees:


Tax included Reservation **Event Facility** All Day Use 1 Hour Out-of-Facility Overview (Subject to change) Category Time Fee Per Slot (9am - 9pm) hours * All facility names are tentative Slots 1) 9am to 12pm former Name: Event Hall 1 2) 12pm to 3pm EXPO Hall ¥99.000 ¥41800 ¥396 000 Seating: around 2,000 3) 3 to 6pm 4) 6 to 9pm former Name: Event Hall 2 Semi-open proscenium hall, main venue for National 1) 9am to 3pm **EXPO National Day Hall** ¥52,800 ¥105,600 ¥11,000 Dav ceremonies 2) 3 to 9pm Seating: around 500 1) 9am to 12pm former Name: Outdoor Event Space 2) 12pm to 3pm EXPO Arena ¥254.100 ¥1.016.400 ¥106.700 Covered stage + plaza 3) 3 to 6pm Plaza (standing capacity: 10,000) 4) 6 to 9pm Pop-Up Stages former Name: Small Stages 1 hour per slot (Outer East/Inner East/ Around 50 m² covered stage ¥7.700 ¥92.400 ¥9.900 9am to 9pm West/North) Spectator space (walkway and plaza) former Name: Japanese Traditional Culture Area (Outdoor Small Stage) 1 hour per slot Pop-Up Stage South ¥8,800 ¥105,600 ¥11,000 Covered outdoor stage 9am to 9pm Spectator space (for 300) former Name: Japanese Traditional Culture Area (Exhibition Space on First Floor) 1 day per slot **Gallery East** ¥92,400 ¥92,400 ¥9,900 Indoor exhibition room 9am to 9pm Floor area around 300 m² former Name: Gallery - Indoor exhibition space around 200 m² Outdoor exhibition space around 300 m² 1 day per slot **Gallery West** ¥99.000 ¥99 000 ¥11000 9am to 9pm - Indoor exhibition space around 100 m² * The three exhibition spaces will be used collectively. former Name: Messe 1 day per slot **EXPO Exhibition Center** Floor area: around 2,000 m² (1 block) ¥786.720 ¥786.720 ¥82.500 9am to 9pm * Total floor area for 2 blocks around 4,000 m²

Precautions related to facility usage fees

- Heat, lighting, water, and permanent facility telecommunication fees will be billed separately.
- Usage times include all time required for use, from the entry of the first participant until the exit of the last participant.
- Usage time includes time present during explanations for how to use permanent event facility equipment and time needed for maintenance.

* You will be informed of cancellation fees and common service charges after an internal decision is made.

Overview of Event Facilities



* All details listed in this document are current as of the time of publication, and are subject to change.

	Official name	former Name	Facility Details	Indoor/Outdoor
	EXPO Hall	Event Hall 1	Large amphitheatre	Indoor
B	EXPO National Day Hall	Event Hall 2	Semi-open proscenium hall, main venue for National Day /Special Day	Indoor (Semi-Open)
C	Gallery East	Japanese Traditional Culture Area (Exhibition Space on First Floor)	Exhibition Space Floor area around 300 m2	Indoor
D	Pop-Up Stage South	Japanese Traditional Culture Area (Outdoor Small Stage)	Covered outdoor stage Viewing space: Square in front of the stage	Outdoor
8	Pop-Up Stages (Outer East/Inner East/ West/North)	Small Stage	Covered stage of 50 m2 Viewing space: aisle in front of the stage, plaza	Outdoor
Ð	EXPO Arena	Outdoor Event Space	Covered stage + plaza Standing room: approx. 10,000 people	Outdoor
G	EXPO Exhibition Center	Messe	former Name: Messe Floor area: around 2,000 m2 (1 block) * Total floor area for 2 blocks around 4,000 m2	Indoor
•	Gallery West	Gallery	Indoor + outdoor exhibition space Floor space: approx. 200 m2 indoor exhibition space, approx. 300 m2 outdoor exhibition space, approx. 100 m2 indoor exhibition space	Indoor Outdoor





Anticipated Performances

- Opening and closing ceremonies
- Stage events, including music, dramas, entertainment, futuristic entertainment, etc.

Facility Usage

① 9am to 12pm ② 12pm to 3pm ③ 3 to 6pm ④ 6 to 9pm

Apply for use based on the Reservation Category Time Slot as listed in the table of facility usage fees.

(Reserved time includes from carry in up to removal, setting up and taking down)

* Negotiable depending on event details

Food and Drink in the Audience Area

Not allowed %Only beverages in containers with lids are permitted.

Commercial Activities within the Facility

Allowed in merchandise sales areas only (sales of food and drink are not allowed) * Royalties will be paid based on sales.



User Fees

- Facility usage fees - Common service charges

See page 1 for details.


Note: Participants may host virtual events at the EXPO Hall prepared in the Virtual Venue. (Costs: refer to the fee table and providers list.)

Facility overview

Architectural outline	Steel-framed hall
Seating capacity	Around 2,000 seats (Including wheelchair seats)
Stage type	Circular stage 18m diameter
Equipment overview	 Sound, lighting, and basic equipment Wall projection equipment for projection mapping, etc. Permanent projector Projectors and system equipment Lowering projector screen
Ancillary equipment	Large, medium, and small backstage areas, meeting rooms, rehearsal rooms, reception rooms, locker rooms, shower rooms, multipurpose rooms, VIP rooms, etc. on both the first and second floors


Overview of Event Facilities

A EXPO Hall (former name: Event Hall 1)



Overview of Event Facilities

A EXPO Hall (former name: Event Hall 1)




A EXPO Hall (former name: Event Hall 1)

* All details listed in this document are current as of the time of publication, and are subject to change.

Overview of installed equipment				
	Ladder hanging rod (large)	7 (le	ngth: 20,200 mm; automated height adjustment; load capacity: 1,000 kg)	
Stag	Ladder hanging rod (small)	3 (le	ngth: 6,000 mm; load capacity: 300 kg) Note: for ceiling lights	
ge e	Chain hoist	5 (a	utomated height adjustment; load capacity: 2,000 kg)	
quip	Point hoist apparatus	8 (au	utomated height adjustment, manual operation; load capacity: 200 kg)	
Stage equipment	Curtain		g curtain, tormentor curtain, background curtain, etc. The hanging rods for stage set items will be used for background curtains.	
	Modular stage	Curre	ently under consideration (diameter 18,200 $ imes$ height 900 mm (assembled stage)	
	Network control rack	SC pa	e right, stage left, control deck atch panel, switching hub, DMX node, control signal unit, various input and ut connector panel, DMX-PWM signal transformer	
	Light controller		4096 parameter (HTP/LTP) DMX 6 out / 1 in, 2 grand MA3 full-size, 1 guest seat light modulation controller, 1 simplified moving light controller, 1 stage side control panel	
	Lighting	500	500 W LED Profile moving light (5 1-truss, 5 3-truss)	
Lighting		28 LE	ED Fresnel lens spotlights (equivalent to halogen1.5 kW), white single colour	
ntin		7 LE	D ellipsoidal spotlights 300W (full colour)	
g		23 L	ED moving lights 850W	
		24 L	ED moving lights 555W (wash)	
		8 DN	1X nodes (LAN-DMX 4ch)	
		43 k	W pin spotlights	
	Accessory	Hang	gers, stands, operating rods	
	Proscenium speaker (front	:)	1 set of 2 \times 9" 2-way line array speakers and subwoofer speakers	
	Proscenium speaker (rear)		1 set of 2 \times 9" 2-way line array speakers and subwoofer speakers	
	Side speaker (front)		1 set of 2 \times 9" 2-way line array speakers and subwoofer speakers	
So	Ground stack subwoofer		1 set of subwoofer speakers	
und	Front fill speaker		1 set of 5" 2-way powered speakers, 1 set of power amps	
Sound system	Effects speaker		1 set of 2 x 8" 2-way powered speakers	
	Stage sound equipment such as microphones		Wireless microphones (hand-held, pin, and head-worn microphones)	
	Digital mixing console		Main console, monitor console, effects console	
	Stage monitor speaker		1 set of 15" 2-way powered speakers and 12" 2-way powered speakers	
	Operational sound equipment		1 set	

Video	Projector	Christie Griffyn 4K50-RGB 50,000 ISO lumens 1 set for projection mapping, 1 unit for front projection
	Server for projection mapping	1 set
equip	Video-related equipment	1 set
pment	Camera equipment	1 set
lt	Video distribution equipment	1 set, Note: equipment currently under consideration



Anticipated Performances

- National Day/Special Day and other official events
- Stage events, including music, dramas, entertainment, futuristic entertainment, thematic forums, etc.

Facility Usage

1 9am to 3pm 2 3pm to 9pm

Apply for use based on the Reservation Category Time Slot as listed in the table of facility usage fees.

(Reserved time includes from carry in up to removal,setting up and taking down) * Negotiable depending on event details

Food and Drink in Audience Area Not allowed

*Only beverages in containers with lids are permitted.

Commercial Activities within the Facility

Allowed **Only merchandise sales in the designated area **Merchandise areas will be described in the next update. **Royalties will be paid based on sales.



User Fees

Facility usage fees
 Common service charges


See page 1 for details.

Note: Participants may host virtual events at the EXPO National Day Hall prepared in the Virtual Venue. (Costs: refer to the fee table and providers list.)

Facility overview


Architectural outline	Steel frame indoor hall/semi-open (stage and audience floor space around 960 m ²)	
Seating capacity	city Around 500 (moveable seating)	
Stage type	Stage type Proscenium (Stage width 18 m, 7.2 m high, 7.5 m deep, 0.9 m above audience)	
Equipment overview • Sound, lighting, and basic equipment • Large LED projection equipment • Lowering projector screen		
Ancillary equipment VIP waiting rooms, backstage area, etc.		

B EXPO National Day Hall (former name Event Hall 2)





B EXPO National Day Hall (former name: Event Hall 2)





B EXPO National Day Hall (former name Event Hall 2)





%The information is based on current plans. The information is subject to change in the future.


Ονε	Overview of installed equipment			
	Hanging rod for stage set items	7 (length: 20,000-24,000 mm; load capacity: 300 kg)		
	Proscenium suspension truss	1 (length: 24,000 mm; load capacity: 600 kg), for lighting		
	Suspension truss	3 (length: 20,000–24,000 mm; load capacity: 600 kg), for lighting		
	Upper horizon light	1 (length: 12,000 mm; load capacity: 300 kg)		
Stage	Ladder hanging rod	4 (width 1,800 × height 2,000 mm; load capacity: 250 kg), for lighting		
	Swag curtain	1 (width 24,000 × height 1,500 mm)		
equipment	Centre-parted grand drape	1 pair (width 34,000 \times height 8,500 mm), automated opening and closing		
	Border curtain	4 (width 20,000–24,000 mm \times height 1,500 mm), 3 of which are hung with multiple suspensions		
	Leg curtain	3 pairs (width 5,000 × height 8,500 mm)		
	Traveller curtain	1 pair (width 26,000 × height 8,500 mm)		
	Horizon curtain	1 set (width 11,000 \times height 8,000 mm), automated wind-lifting		

B

EXPO National Day Hall (former name Event Hall 2)

%The information is based on current plans. The information is subject to change in the future.

	Proscenium hanging rod	2 D-type 20A, DMX port
	Lighting truss hanging rod	1 C-type 30A, 2–4 D-type 20A, DMXポート
	Upper horizon hanging rod	2 D-type 20A, DMX port
	Ladder hanging rod	Downstage and upstage on stage left, and downstage and upstage on stage right: 1 D-type 20A respectively, DMX port
	LED full colour zoom PAR light	30
Ligh	LED PAR light	33
Lighting	LED moving wash light	33
	LED moving spotlight	10
	LED horizon light	12 upper, 12 lower
	Follow pin spotlight	2 (xenon 2 kW)
	Light modulation controller	1 set
	Stage side controller	1 set
	Accessory	Floor stands, based lighting stands, hangers, carbon control rods
	Main speaker L/R	1 set of 2-way line array speakers, 1 set of subwoofers
	Central speaker	1 set of 2-way line array speakers (1 6.5-inch LF, 1 1-inch HF)
	Lip fill speaker	1 set of 2-way speakers (2 4-inch LF, 1 0.5-inch HF)
	Monitor speaker	1 set of 2-way speakers (1 12-inch LF, 1 3-inch HF)
Sou	Side fill speaker	1 set of 2-way speakers (1 15-inch LF, 1 3-inch HF), on stands
Sound system	Outdoor speaker	1 set of full-range speakers (rain-proof)
syst	Digital mixing console	Input: 64 mono + 8 stereo, tablet controller
em	CD/memory deck	2
	Wireless microphone	1 set in hand-held form, 1 set in pin form
	Microphone	Dynamic microphones, various condenser microphones; 4 DI boxes
	Microphone stand	K&M desk, straight, boom, mini-boom
	Intercom	1 set
	LED display	Details undecided
- Vid	Switcher	1 set
Video equipment		
	VTR player	2; 4K-compatible
ipm	Sound mixer	1 set
lent	Camera equipment	2 sets of 4K cameras
	Video distribution equipment	1 set, Note: equipment currently under consideration



1) Gallery East (former name: Japanese Traditional Culture Area, Exhibition Space on First Floor)

Anticipated Performances

Exhibitions of world and Japanese arts and crafts, forums, etc.

Facility Usage

1 day per slot, 9am to 9pm

- Apply for use based on the Reservation Category Time Slot as listed in the table of facility usage fees.
- (Reserved time includes from carry in up to removal, setting up and taking down)
- * Negotiable depending on event details

Food and Drink in Audience Area

Commercial Activities within the Facility

Not allowed (Request for consultation for grass areas.) Allowed Only merchandise sales in the area designated by prior agreement with the Organiser Royalties will be paid based on sales. **User Fees**

Facility usage fees Common service charges

See page 1 for details.


Note: Participants may host virtual events at the Gallery East prepared in the Virtual Venue. (Costs: refer to the fee table and providers list.)


Participants are asked to bring necessary equipment for distribution including cameras.

Facility overview

Architectural outline	Steel-framed
Exhibition space	Around 300 m ²
Exhibition room size	Frontage around 20 m / around 20 m deep / around 3.5 m high
Equipment overview	Moveable exhibit partitions, duct railing for lighting, picture railing, exhibition lighting, broadcasting equipment, etc.
Ancillary equipment	Waiting room, washrooms area, etc.


C Gallery East (former name: Japanese Traditional Culture Area Exhibition Space on First Floor)





Overview of Event Facilities

C Gallery East (former name: Japanese Traditional Culture Area, Exhibition Space on First Floor)




% The information is based on current plans. The information is subject to change in the future.

Overview of installed equipment		
Equipment	Exhibition lighting equipment	LED spotlight(lighting for exhibition)

D Pop-Up Stage South

(former name: Japanese Traditional Culture Area Small Stage)



Pop-Up Stage South former name: Japanese Traditional

Culture Area Small Stage

Anticipated Performances

Performances of domestic and international performing arts, music, talk events, festivals, etc.

Facility Usage

1 hour per slot

9am to 9pm

(Reserved time includes from carry in up to removal, setting up and taking down) Please consult with us about the usage time according to the content of your event.

Eating and drinking in the viewing area

Allowed

Commercial activities around the stage

Not Allowed *Consultation required for tastings. User Fees Facility usage fees common service charges, etc. See page 1 for details.


Note: Participants may host virtual events at the Pop-Up Stage South prepared in the Virtual Venue. (Costs: refer to the fee table and providers list.)


Participants are asked to bring necessary equipment for distribution including cameras.

Facility overview


Architectural outline	Steel-framed
Seating capacity	Around 290 (no seats)
Stage type	Outdoor covered stage / passageway to stage (connecting stage and exhibition area)
Equipment overview	Sound, lighting, and basic equipment
Ancillary equipment	Small backstage area

D Pop-Up Stage South (former name: Japanese Traditional Culture Area Small Stage)





D Pop-Up Stage South (former name : Japanese Traditional Culture Area Small Stage)







Pop-Up Stage South (former name : Japanese Traditional Culture Area Small Stage)


% The information is based on current plans and is subject to change. The information is subject to change in the future.

Overvie	Overview of installed equipment			
	Lighting hanging rod	4: 2 D-type 20A respectively, DMX port		
	Gallery pipe	2 locations: 2 D-type 20A respectively, DMX port		
	Stage-level power supply	1 D-type 20A, DMX port		
Ligh	LED PAR light	1 set		
Lighting	LED flood light	1 set (rain-proof type)		
	LED bar light	1 set (rain-proof type)		
	Simplified light switch	ON-OFF switch (base light, light at stage front)		
	Light modulation controller	AVO Quartz (12.1-inch touch panel, number of faders: 10, 4 DMX 512)		
	Main speaker	1 set of column type array speakers, 1 set of subwoofers		
	Monitor speaker	1 set of 2-way speakers		
Sour	Digital mixing console			
Sound system	CD/memory deck	2		
	Wireless microphone	1 set of pin microphones		
В	Microphone	8 boundary microphones, 2 hand-held microphones (with switches)		
	Microphone stand	K&M 2 boom stands		





E Pop-Up Stage Outer East (former name: Small stage south)




st The information is based on current plans. The information is subject to change in the future.


Overview of installed equipment		
Stage	Lighting hanging rod	2 (fixed)
equipment	Hanging rod for stage set items	2 (fixed)
Lighting	LED PAR light	Currently being arranged
Lighting	DMX controller	Currently being arranged
	Speaker	Currently being arranged
	Power amplifier	Currently being arranged
Sound system	Digital mixer	Currently being arranged
-,	CD deck	Currently being arranged
	Microphone	Currently being arranged

Overview of Event Facilities

E Pop-Up Stage Inner East (former name: Small Stage East)



E Pop-Up Stage Inner East (former name: Small Stage East)




% The information is based on current plans. The information is subject to change in the future.


Overview of installed equipment			
Stage	Lighting hanging rod	2 (fixed)	
equipment	Hanging rod for stage set items	2 (1 fixed, 1 manual wind-lifting)	
	Horizon curtain	Shading tarpaulin	
Lighting	LED PAR light	Currently being arranged	
	DMX controller	Currently being arranged	
Sound	Speaker	Currently being arranged	
system	Power amplifier	Currently being arranged	
	Digital mixer	Currently being arranged	
	CD deck	Currently being arranged	
	Microphone	Currently being arranged	

Overview of Event Facilities

E Pop-Up Stage West (former name: Small Stage West)



E Pop-Up Stage West (former name: Small Stage West)




% The information is based on current plans. The information is subject to change in the future.

Overview of installed equipment			
Stage	Lighting hanging rod	2 (fixed)	
equipment	Hanging rod for stage set items	2 (fixed)	
	Horizon curtain	Shading tarpaulin	
Lighting	LED PAR light	Currently being arranged	
	DMX controller	Currently being arranged	
Sound	Speaker	Currently being arranged	
system	Power amplifier	Currently being arranged	
	Digital mixer	Currently being arranged	
	CD deck	Currently being arranged	
	Microphone	Currently being arranged	


Overview of Event Facilities

E Pop-Up Stage North (former name: Small Stage North)




Overview of Event Facilities

E Pop-Up Stage North (former name: Small Stage North)



Note: The indicated information is the plan as of this time point. It is subject to change.

Overview of installed equipment			
Stage	Lighting hanging rod	2 (fixed)	
equipme nt	Hanging rod for stage set items	2 (fixed)	
	Horizon curtain	Shading tarpaulin	
Lighting	LED PAR light	Currently being arranged	
	DMX controller	Currently being arranged	
Sound	Speaker	Currently being arranged	
system	Power amplifier	Currently being arranged	
	Digital mixer	Currently being arranged	
	CD deck	Currently being arranged	
	Microphone	Currently being arranged	



Anticipated Performances

Large live concerts, Videoscreenings, outdoor festivals, cultural festivals, etc.



Facility Usage

① 9am to 12pm ② 12pm to 3pm ③ 3 to 6pm ④ 6 to 9pm Apply for use based on the Reservation Category Time Slot as listed in the table of facility usage fees. (Reserved time includes from carry in up to removal, setting up and taking down) *Negotiable depending on event details

Food and Drink in Audience Area

Allowed (Designated area only) % Designated areas will be described in the next update.

Commercial Activities within the Facility

Sales of merchandise and foods/beverages are both allowed. (Only in areas set out in prior consultation with the Organiser

User Fees

Facility usage fees
 Common service charges

See page 1 for details.


Note: Participants may host virtual events at the EXPO Arena prepared in the Virtual Venue. (Costs: refer to the fee table and providers list.)

Facility overview

Architectural outline	Steel-framed
Seating capacity	10,000 (no seats/artificial grass covering floor of spectator area)
Stage type	Outdoor covered stage (frontage around 18 m, around 10 m high, 10.8 m deep)
Equipment overview	 Sound, lighting, and basic equipment Large LED projection equipment Lowering projector screen Delay tower
Ancillary equipment	VIP rooms (front of house), backstage areas, merchandise sales building, etc.


Overview of Event Facilities

EXPO Arena (former name: Outdoor Event Space)




Overview of Event Facilities

F EXPO Arena (former name: Outdoor Event Space)



F EXPO Arena (former name: Outdoor Event Space)



% The information is based on current plans and is subject to change. The information is subject to change in the future.

Overview of installed equipment		
	Hanging rod for border curtain	1 (length: 16,200 mm; automated height adjustment; load capacity: 500 kg), ladder form height 300 mm
	Hanging rod for stage set items	2 (length: 16,200 mm; automated height adjustment; load capacity: 500 kg), ladder form height 300 mm
st	Hanging rod for stage set items (black rear traveller curtain)	1 (length: 16,200 mm; automated height adjustment; load capacity: 500 kg), ladder form height 300 mm
Stage e	Hanging rod for stage set items (horizon curtain)	1 (length: 16,200 mm; automated height adjustment; load capacity: 500 kg), ladder form height 300 mm
equipm	Hanging rod for side curtain	2 (length: 7,500 mm; automated height adjustment; load capacity: 100 kg)
ment	Lighting truss hanging rod	4 (length: 16,200 mm; automated height adjustment; load capacity: 1,500 kg), truss 550 mm
	Border curtain	1 (width 16,200 × height 4,000 mm)
	Black rear traveller curtain	1 pair (2 of width 8,500 \times height 9,250 mm), with opening and closing rail
	Horizon curtain	1 (width 16,200 × height 9,500 mm)
	Side curtain	2 pairs (width 2,000 \times height 9,500 mm; 4 per pair), with opening and closing rail

	Temporarily installed power supply board equipment and transformer system for stage lighting			
	Stage left	3 single-phase lines 400A (overall main circuit) 1 pair of camlock output connector; 20 C-type power sockets (direct 20 circuits)		
	Stage right		3 single-phase lines 400A (main circuit) 1 pair of camlock output connector; 20 C-type power sockets (direct 20 circuits)	
Ŀig		3 thre	e-phase lines 100A (main circuit); 1 pair of camlock output connector	
Lighting	Stage side (location undecided)	3 sing	le-phase lines 250A; 2 pairs of C-type 60A power sockets	
ŋg	Delay tower, left side	3 single-phase lines 250A at 4 locations (for motors); 1 pair of camlock output connector		
		3 three-phase lines 50A (main circuit)		
	Delay tower, right side	3 sing conne	le-phase lines 250A at 4 locations (for motors); 1 pair of camlock output ctor	
	31		e-phase lines 50A (main circuit)	
Li	Rain-proof moving light		10 (SGM G-7 Spot, 500 W LED 6500 K)	
Lightin	Light controller		4096 parameter (HTP/LTP) DMX 6 out / 1 in (within FOH wing)	
ng	Other lighting equipment		1 set	



*The information is based on current plans. The information is subject to change in the future.

	Power supply board equipment	and transformer system for sound system
	Downstage on stage left and stage right	Permanently installed movable amplifier power supply: 24 circuits of C-type 30A power sockets
		Power supply for sound system (including that for amplifiers for wedge monitor speakers and other extra power supplies) : 24 circuits of C-type 30A power sockets
0		Extra power supply: 6 circuits of C-type 30A power sockets
Sound	Upstage on stage left and stage right	Sound system power supply: 6 circuits of C-type 30A power sockets
system		Extra power supply: 6 circuits of C-type 30A power sockets
em	Delay tower, upstage on left side	Sound system power supply: 6 circuits of C-type 30A power sockets
	Delay tower, upstage on right side	Sound system power supply: 6 circuits of C-type 30A power sockets
	Temporary FOH section	Sound system power supply: 4 circuits of C-type 30A power sockets
	In FOH wing and control room	Sound system power supply: 4 circuits of C-type 30A power sockets

Sound system	Main speaker	Main speaker	1 set of 3-way large format line source array speakers
		Front fill speaker	1 set of 2-way medium format line source array speakers
		Subwoofer speaker	1 set of flyable subwoofer speakers Touring power amplifiers for driving of above (movable) System controller
	Monitor speaker	Side fill speaker	1 set of 2-way medium format line source array speakers (6 on one side) touring power amplifiers for driving of above (movable)
		Wedge monitor speaker	1 set of 2-way full-range stage speakers Power amplifiers for driving of above
	Digital mixer (installed within FOH wing)		Mixing console 120 input, 48 mix, 2 stereo Stage in/out box
	Stage sound equipment such as microphones		Currently being arranged

	LED display	1 main display, 2 side displays
<	LED display control equipment	1 set
Video	4K live switcher	1
	4K system camera	2
luip	4K 122-zoom telephoto lens	1
equipment	4K 24-zoom portable lens	2
Ŧ	4K remote camera system	Currently being arranged
	video distribution equipment	Currently being arranged



Anticipated Performances

- Various exhibitions, forums, etc.
- Main venue for Theme Weeks

Facility Usage

1 day per slot 9am to 9pm

Apply for use based on the Reservation Category Time Slot as listed in the table of facility usage fees.

(Reserved time includes from carry in up to removal, setting up and taking down)

*Negotiable depending on event details

Food and Drink in the Facility

Commercial Activities within the Facility

Allowed (prior discussion with the Organiser required for sales area) * Royalties will be paid based on sales.

User Fees

Facility usage feesCommon service charges


Allowed

Note: Participants may host virtual events at the EXPO Exhibition Centre prepared in the Virtual Venue. (Costs: refer to the fee table and providers list.) Participants are asked to bring necessary equipment for distribution including cameras.

Facility overview


Architectural outline	Steel-framed indoor exhibition room	
Exhibition space	4,000 m ² (can be partitioned into two rooms/each partition 2,000 m ²)	
Exhibition room size	Frontage around 72 m / around 56 m deep / around 6 m high (central partition around 3.5 m)	
Maximum capacity	3,000 (1,500 each when divided)	
Equipment overview	 Broadcasting equipment Plumbing equipment Underfloor pit Hooks for hanging 	
Ancillary equipment	Sponsor office, etc.	


Overview of Event Facilities



G EXPO Exhibition Center


(former name: Messe)





Overview of installed equipment			
Ē	Exhibit hanging hook	90 locations (Event Hall 1/2: 45 locations respectively; load capacity: 300 kg/location)	
Equipment	Movable partition wall	Width 5.6 m \times height 3.5m (Event Hall 1/2 partition wall)	
mer	Carry-in/out gate	Width 10 m \times height 4.5m (1 location in Event Hall 1 and 2 respectively)	
lt	Power supply box	Total of 72 locations in Event Hall 1 and 2 (single-phase 16.6 kVA: 36 locations, three-phase 8.3 kVA: 36 locations)	
	Exhibition power supply (Hall 1)	1Φ3W 6.6 kV/210-105V 300 kVA, low-voltage single-phase power board	
Power supply	Exhibition power supply (Hall 2)	1Φ3W 6.6 kV/210-105V 300 kVA, low-voltage single-phase power board	
	Exhibition power supply (Hall 1)	3Φ3W 6.6 kV/210V 150 kVA, low-voltage three-phase power boar	
	Exhibition power supply (Hall 2)	3Φ3W 6.6 kV/210V 150 kVA, low-voltage three-phase power boar	
	Outdoor event power board	d 1Φ3W 6.6 kV/210-105V 30 kVA (East side outdoor)	

Gallery West (former name: Gallery)



Anticipated Events

- Exhibitions, forums, etc.
- Art, animation, fashion, etc.

Facility Use Unit

Daily basis / 9am to 12pm (Reserved time includes from carry in up to removal, setting up and taking down)

Please consult with us about the usage time according to the content of your event.

Food and Drink in the Facility Not Allowed (permitted only in

the outdoor exhibition space)

Commercial Activities within the Facility

- Indoor exhibition space: Allowed (only in the area set by
- prior agreement with the Organiser)
 - Outdoor exhibition space: Allowed (only in areas set by prior agreement with the Organiser)

User Fees

- Facility usage fees

Common service charges

See page 1 for details.

*Royalties will be paid based on sales.


Note: Participants may host virtual events at the Gallery West prepared in the Virtual Venue. (Costs: refer to the fee table and providers list.)

施	設	槪	Ŧ
		1.40	-

Architectural outline	Steel-framed Exhibition Gallery			
Exhibition space	Indoor exhibition room 1: around 200 m ² (4.5 m high ceiling) Outdoor covered exhibition area: around 300 m ² Indoor exhibition room 2: 100 m ² (3.5 m high ceiling) ^{%Rooms can be rented in units of three. Rooms cannot be rented on a single room basis.}			
Exhibition room size	 Basic lighting (wired duct spot) Broadcasting equipment Duct for exhibition lighting Picture railing Display partitions (indoor exhibition room 1) 			
Ancillary equipment	Waiting rooms			


Overview of Event Facilities

H Gallery West (former name: Gallery)



Overview of Event Facilities

H Gallery West (former name: Gallery)



$\ensuremath{\mathbbmu}$ The information is based on current plans. The information is subject to change in the future.

Overview of installed equipment					
	Sliding wall	21 (width 1,500 × height 4,447 mm) Note: only in indoor showroom 1			
_	Picture rail	Indoor showroom 1 and 2			
Equi	Lighting rail	Indoor showroom 1 and 2			
Equipment	Exhibition lighting equipment	Indoor showroom 1	LED spotlights (26 lights for exhibition)		
		Outdoor exhibition space	LED spotlights (15 lights for exhibition, 8 ceiling upper lights)		
		Indoor showroom 2	LED spotlights (22 lights for exhibition)		